



# Request Parameter Requirements

## Public Transit Times Webservice

<i>Field</i>	<i>Required?</i>	<i>Expected Values</i>
tran:OriginCity	Optional	20 Character City Name
tran:OriginState	Optional	2 Character State
tran:OriginZip	<b>Required</b>	6 Character Zip (US and Canada)
tran:DestinationCity	Optional	20 Character City Name
tran:DestinationState	Optional	2 Character State
tran:DestinationZip	<b>Required</b>	6 Character Zip (US and Canada)

## Public LTL Tracing Webservice

<i>Field</i>	<i>Required?</i>	<i>Expected Values</i>
Itl:Pronumber	<b>Required</b>	10 Digit Pro Number

## Private LTL Tracing Webservice

<i>Field</i>	<i>Required?</i>	<i>Expected Values</i>
Username	<b>Required</b>	Username expected within authnHeader
Password	<b>Required</b>	Encrypted password expected within authnHeader
Itl:PRONumber	<b>Required</b>	10 Digit Pro Number

## Private Image Retrieval Webservice

<i>Field</i>	<i>Required?</i>	<i>Expected Values</i>
<i>Get Available Images</i>		
Username	<b>Required</b>	Username expected within authnHeader
Password	<b>Required</b>	Encrypted password expected within authnHeader
arg0	<b>Required</b>	10 Digit Pro Number
<i>Get Document</i>		
Username	<b>Required</b>	Username expected within authnHeader
Password	<b>Required</b>	Encrypted password expected within authnHeader
arg0	<b>Required</b>	10 Digit Pro Number
arg1	<b>Required</b>	Expected Values are (BOL or DR)

## Private Rate Quote Webservice

<i>Field</i>	<i>Required?</i>	<i>Expected Values</i>
Username	<b>Required</b>	Username expected within authnHeader
Password	<b>Required</b>	Encrypted password expected within authnHeader
Itl:AccountNumber	<b>Required</b>	7 Digit Averitt Account Number ( This must be assigned to your username)
Itl:OriginCity	<b>Required</b>	20 Character City Name
Itl:OriginState	Optional	2 Character State
Itl:OriginZip	<b>Required</b>	6 Character Zip (US and Canada)
Itl:DestinationCity	<b>Required</b>	20 Character City Name
Itl:DestinationState	Optional	2 Character State
Itl:DestinationZip	<b>Required</b>	6 Character Zip (US and Canada)
Itl:ShipDate	<b>Required</b>	Must be formatted to mm/dd/yyyy
Itl:CustomerType	<b>Required</b>	Expected Values (Shipper, Consignee or ThirdParty)
Itl:PaymentType	<b>Required</b>	Expected Values (Prepaid or Collect)
Itl:NumPieces	Optional	Can be up to 5 Digits long
Itl:NumHandlingUnits	Optional	Can be up to 5 Digits long
Itl:CubicFeet	Optional	Can be up to 5 Digits long
Itl:Item	<b>Required</b>	Each distinct commodity requires a separate <Itl:Item> tag
Itl:ShipmentClass	<b>Required</b>	Can be up to 3 Digits long
Itl:ShipmentWeight	<b>Required</b>	Can be up to 7 Digits long
Itl:Units	Optional	Can be up to 5 Digits long
Itl:Description	Optional	Can be up to 30 Characters Long
Itl:NmfcNumber	Optional	Can be up to 7 Digits long
Itl:NmfcSubNumber	Optional	Can be up to 3 Digits long
Itl:ArrivalNotify	<b>Required</b>	Expected Values (true or false)
Itl:ConventionCenterDelivery	<b>Required</b>	Expected Values (true or false)
Itl:ConstructionSiteDelivery	<b>Required</b>	Expected Values (true or false)
Itl:InsideDelivery	<b>Required</b>	Expected Values (true or false)
Itl:Liftgate	<b>Required</b>	Expected Values (true or false)
Itl:Hazmat	<b>Required</b>	Expected Values (true or false)
Itl:ResidentialDelivery	<b>Required</b>	Expected Values (true or false)
Itl:Non-CommercialPickupDelivery	<b>Required</b>	Expected Values (true or false)
Itl:StandardLTLGuarantee	<b>Required</b>	Expected Values (true or false)
Itl:SecurityInspection	<b>Required</b>	Expected Values (true or false)

## Private LTL Pickup Request Webservice

<i>Field</i>	<i>Required?</i>	<i>Expected Values</i>
Username	<b>Required</b>	Username expected within authnHeader
Password	<b>Required</b>	Encrypted password expected within authnHeader
ltl:RequestorName	<b>Required</b>	30 Character Name of Requestor
ltl:RequestorPhone	<b>Required</b>	10 Digit Request Phone Number
ltl>Contact	<b>Required</b>	30 Character Shipper Contact Name
ltl:Company	<b>Required</b>	30 Character Shipper Company Name
ltl:Address1	<b>Required</b>	30 Character Shipper Address 1
ltl:Address2	Optional	30 Character Shipper Address 2
ltl:Zip	<b>Required</b>	6 Character Zip
ltl:State	<b>Required</b>	2 Character State
ltl:City	<b>Required</b>	20 Character City Name
ltl:Phone	<b>Required</b>	10 Digit Shipper Phone Number
ltl:Email	<b>Required</b>	75 Character Shipper Email Address
ltl:RequestedPickupDate	<b>Required</b>	Must be formatted to mm/dd/yyyy
ltl:ReadyTime	<b>Required</b>	Must be formatted to HH:MM AM/PM
ltl:ShippingDeptClosingTime	<b>Required</b>	Must be formatted to HH:MM AM/PM
ltl:ShipmentDetails		Each distinct shipment requires separate ltl:ShipmentDetails tag
ltl:DestinationZipCode	<b>Required</b>	6 Character Zip
ltl:Pieces	<b>Required</b>	Can be up to 6 Digits long
ltl:HandlingUnits	<b>Required</b>	Expected Values are SK for Skids or Pallet, DR for Drums, BX for Cartons or Boxes, or PC for Pieces or Other
ltl:Weight	<b>Required</b>	Can be up to 7 Digits long
ltl:Hazardous	<b>Required</b>	Expected Values (true or false)
ltl:Prepaid	<b>Required</b>	Expected Values (true or false)
ltl:Collect	<b>Required</b>	Expected Values (true or false)