



## Request Parameter Requirements

### Public Transit Times Webservice

<i>Field</i>	<i>Required?</i>	<i>Expected Values</i>
tran:OriginCity	<b>Required</b>	20 Character City Name
tran:OriginState	<b>Required</b>	2 Character State
tran:OriginZip	<b>Required</b>	6 Character Zip (US and Canada)
tran:DestinationCity	<b>Required</b>	20 Character City Name
tran:DestinationState	<b>Required</b>	2 Character State
tran:DestinationZip	<b>Required</b>	6 Character Zip (US and Canada)

### Public LTL Tracing Webservice

<i>Field</i>	<i>Required?</i>	<i>Expected Values</i>
Itl:Pronumber	<b>Required</b>	10 Digit Pro Number

### Private LTL Tracing Webservice

<i>Field</i>	<i>Required?</i>	<i>Expected Values</i>
Username	<b>Required</b>	Username expected within authnHeader
Password	<b>Required</b>	Password expected within authnHeader
Itl:PRONumber	<b>Required</b>	10 Digit Pro Number

### Private Image Retrieval Webservice

<i>Field</i>	<i>Required?</i>	<i>Expected Values</i>
<i>Get Available Images</i>		
Username	<b>Required</b>	Username expected within authnHeader
Password	<b>Required</b>	Password expected within authnHeader
arg0	<b>Required</b>	10 Digit Pro Number
<i>Get Document</i>		
Username	<b>Required</b>	Username expected within authnHeader
Password	<b>Required</b>	Password expected within authnHeader
arg0	<b>Required</b>	10 Digit Pro Number
arg1	<b>Required</b>	Expected Values are (BOL or DR)

## Private Rate Quote Webservice

<i>Field</i>	<i>Required?</i>	<i>Expected Values</i>
Username	<b>Required</b>	Username expected within authnHeader
Password	<b>Required</b>	Password expected within authnHeader
Itl:AccountNumber	<b>Required</b>	7 Digit Averitt Account Number ( This must be assigned to your username)
Itl:OriginCity	<b>Required</b>	20 Character City Name
Itl:OriginState	Optional	2 Character State
Itl:OriginZip	<b>Required</b>	6 Character Zip (US and Canada)
Itl:DestinationCity	<b>Required</b>	20 Character City Name
Itl:DestinationState	Optional	2 Character State
Itl:DestinationZip	<b>Required</b>	6 Character Zip (US and Canada)
Itl:ShipDate	<b>Required</b>	Must be formatted to mm/dd/yyyy
Itl:CustomerType	<b>Required</b>	Expected Values (Shipper, Consignee or Third Party)
Itl:PaymentType	<b>Required</b>	Expected Values (Prepaid or Collect)
Itl:NumPieces	Optional	Can be up to 5 Digits long
Itl:NumHandlingUnits	Optional	Can be up to 5 Digits long
Itl:CubicFeet	Optional	Can be up to 5 Digits long
Itl:Density	Optional	Must be formatted to 999.99 (Ex. 30.55, 5, 123.2)
Itl:Item	<b>Required</b>	Each distinct commodity requires a separate <Itl:Item> tag
Itl:ShipmentClass	<b>Required</b>	Can be up to 3 Digits long
Itl:ShipmentWeight	<b>Required</b>	Can be up to 7 Digits long
Itl:Units	Optional	Can be up to 5 Digits long
Itl:Description	Optional	Can be up to 30 Characters Long
Itl:NmfcNumber	Optional	Can be up to 7 Digits long
Itl:NmfcSubNumber	Optional	Can be up to 3 Digits long
Itl:ArrivalNotify	<b>Required</b>	Expected Values (true or false)
Itl:ConventionCenterDelivery	<b>Required</b>	Expected Values (true or false)
Itl:ConstructionSiteDelivery	<b>Required</b>	Expected Values (true or false)
Itl:InsideDelivery	<b>Required</b>	Expected Values (true or false)
Itl:Liftgate	<b>Required</b>	Expected Values (true or false)
Itl:Hazmat	<b>Required</b>	Expected Values (true or false)
Itl:ResidentialDelivery	<b>Required</b>	Expected Values (true or false)
Itl:Non-CommercialPickupDelivery	<b>Required</b>	Expected Values (true or false)
Itl:StandardLTLGuarantee	<b>Required</b>	Expected Values (true or false)
Itl:SecurityInspection	<b>Required</b>	Expected Values (true or false)
Itl:OverLength	Optional	Expected Values (empty, OVL8, OVL12, OVL16, OVL20) empty = Longest dimension is less than 8' OVL8 = Longest dimension 8' but less than 12' OVL12 = Longest dimension 12' but less than 16' OVL16 = Longest dimension 16' but less than 20' OVL20 = Longest dimension 20' but less than or equal to 24'
Itl:AdditionalCargoLiability	Optional	Must be formatted to 999999.99 (Ex. 15255.67, 1000, 100.5, 100000.00)

## Private LTL Pickup Request Webservice

<i>Field</i>	<i>Required?</i>	<i>Expected Values</i>
RequestorName	<b>Required</b>	Username expected within authnHeader
RequestorPhone	<b>Required</b>	Password expected within authnHeader
Shipper Information		
Contact	<b>Required</b>	30 Character Contact Name
Company	<b>Required</b>	30 Character Company Name
Address1	<b>Required</b>	30 Character Address 1
Address2	Optional	30 Character Address 2
Zip	<b>Required</b>	6 Character Zip (US and Canada)
State	<b>Required</b>	2 Character State
City	<b>Required</b>	20 Character City Name
Phone	<b>Required</b>	10 Character Phone Number
Email	<b>Required</b>	75 Character Email Address
RequestedPickupDate	<b>Required</b>	Must be formatted to mm/dd/yyyy
ReadyTime	<b>Required</b>	Must be formatted to hh:mm PM/AM
ShippingDeptClosingTime	<b>Required</b>	Must be formatted to mm/dd/yyyy
ShipmentDetails		
DestinationZipCode	<b>Required</b>	6 Character Zip
Pieces	<b>Required</b>	6 Character Pieces
HandlingUnits	<b>Required</b>	Expected Values (SK, DR, BX, or PC) SK = Skids or Pallets DR = Drums BX = Cartons and Boxes PC = Pieces and Other
Weight	<b>Required</b>	7 Character Weight
Hazardous	<b>Required</b>	Expected Values (true or false)
PaymentType		
Prepaid	<b>Required</b>	Expected Values (true or false)
Collect	<b>Required</b>	Expected Values (true or false)
PurchaseOrderNumber	<b>Required based on account</b>	20 Character Purchase Order Number
Comments	Optional	100 Character Comments
Request Type	Optional	